

## Refine Search

### Search Results -

Terms	Documents
6551852	2

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L50

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Friday, April 16, 2004    [Printable Copy](#)    [Create Case](#)

Set  
 Name    Query  
 side by  
 side

Hit  
 Count    Set  
           Name  
           result set

DB=USPT; PLUR=YES; OP=OR

L50    65518522    L50

DB=TDBD; PLUR=YES; OP=OR

L49    L480    L49

DB=DWPI; PLUR=YES; OP=OR

L48    L470    L48

DB=JPAB; PLUR=YES; OP=OR

L47    L460    L47

DB=EPAB; PLUR=YES; OP=OR

L46    L450    L46

DB=USOC; PLUR=YES; OP=OR

L45    L440    L45

DB=PGPB; PLUR=YES; OP=OR

L44    L430    L44

*DB=USPT; PLUR=YES; OP=OR*

L43 L42 and ((etch\$4 near10 magnetic) OR (etch\$4 near3 magnetic)) 6 L43

L42 l40 and ((etch\$4 near3 conductor\$) OR (etch\$4 near3 interconnect\$5) OR (recesse\$ near4 conductor\$) OR (recesse\$ near4 interconnect\$)) 11 L42

L41 L40 and (recesse\$ near4 conductor\$) 4 L41

L40 "magnetic random access memory" 691 L40

L39 L37 0 L39

*DB=PGPB; PLUR=YES; OP=OR*

L38 L37 0 L38

*DB=TDBD; PLUR=YES; OP=OR*

L37 L36 0 L37

*DB=DWPI; PLUR=YES; OP=OR*

L36 L35 0 L36

*DB=JPAB; PLUR=YES; OP=OR*

L35 L34 0 L35

*DB=EPAB; PLUR=YES; OP=OR*

L34 L33 0 L34

*DB=USOC; PLUR=YES; OP=OR*

L33 L32 0 L33

*DB=USPT; PLUR=YES; OP=OR*

L32 L31 same different same "second reflectivity" 0 L32

L31 L30 same reflectivity 17 L31

L30 "alignment target" 1194 L30

L29 L28 and hysrophobic and foamed 0 L29

L28 5480048 9 L28

*DB=TDBD; PLUR=YES; OP=OR*

L27 L26 0 L27

*DB=DWPI; PLUR=YES; OP=OR*

L26 L25 0 L26

*DB=JPAB; PLUR=YES; OP=OR*

L25 L24 0 L25

*DB=EPAB; PLUR=YES; OP=OR*

L24 L23 0 L24

*DB=USOC; PLUR=YES; OP=OR*

L23 L22 0 L23

*DB=PGPB; PLUR=YES; OP=OR*

L22 L21 0 L22

*DB=USPT; PLUR=YES; OP=OR*

L21 L20 same (conductor\$ or interconnect) 0 L21

L20 L5 same polymer 12 L20

L19 L5 same aerogel 0 L19

*DB=TDBD; PLUR=YES; OP=OR*

<u>L18</u>	L17	0	<u>L18</u>
<i>DB=DWPI; PLUR=YES; OP=OR</i>			
<u>L17</u>	L16	0	<u>L17</u>
<i>DB=JPAB; PLUR=YES; OP=OR</i>			
<u>L16</u>	L15	0	<u>L16</u>
<i>DB=EPAB; PLUR=YES; OP=OR</i>			
<u>L15</u>	L14	0	<u>L15</u>
<i>DB=USOC; PLUR=YES; OP=OR</i>			
<u>L14</u>	L13	0	<u>L14</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L13</u>	L12	0	<u>L13</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L12</u>	L5 same interconnect	0	<u>L12</u>
<i>DB=TDBD; PLUR=YES; OP=OR</i>			
<u>L11</u>	L10	0	<u>L11</u>
<i>DB=DWPI; PLUR=YES; OP=OR</i>			
<u>L10</u>	L9	0	<u>L10</u>
<i>DB=JPAB; PLUR=YES; OP=OR</i>			
<u>L9</u>	L8	0	<u>L9</u>
<i>DB=EPAB; PLUR=YES; OP=OR</i>			
<u>L8</u>	L7	0	<u>L8</u>
<i>DB=USOC; PLUR=YES; OP=OR</i>			
<u>L7</u>	L6	0	<u>L7</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L6</u>	L5 same conductor\$	0	<u>L6</u>
<u>L5</u>	L3 same hydrophobic	33	<u>L5</u>
<u>L4</u>	L3 same hydrpophobic	0	<u>L4</u>
<u>L3</u>	"foamed material" Or "foamed insulator" Or "foamed insulation" Or "foamed dielectric"	5639	<u>L3</u>
<u>L2</u>	5747880	21	<u>L2</u>
<u>L1</u>	6195156	2	<u>L1</u>

END OF SEARCH HISTORY